

## EAST Search History

| Ref # | Hits  | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|--|------------------|---------|------------------|
| L5    | 1     | hot\$1plug\$5 near3 (peripheral device unit) with address adj space       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 10:51 |
| L6    | 7     | hot\$1plug\$5 near3 (peripheral device unit) same address adj space       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 10:53 |
| L7    | 6450  | 710/8-10;15-19;100,300-304.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 14:40 |
| L8    | 13157 | (resource address memory) near3 (request demand) with (peripheral device) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 14:22 |
| L9    | 440   | L8 same pci   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 14:22 |
| L10   | 42    | L9 same address adj space   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 14:22 |
| L11   | 33    | minimum near3 address adj space   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 14:22 |
| L12   | 2     | 7 and 11  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/07/06 14:23 |

## EAST Search History

|     |       |   |  |    |    |                  |
|-----|-------|---|--|----|----|------------------|
| L13 | 8     | 7 and 10  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/06 14:26 |
| L14 | 4962  | size with (resource address memory) adj space                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/06 14:27 |
| L15 | 152   | 14 same (sort\$3 arrang\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/06 14:28 |
| L16 | 1     | 15 and 7  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/06 14:33 |
| L17 | 346   | bin near3 algorithm   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/06 14:34 |
| L18 | 1     | 7 and 17  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/06 14:40 |
| S1  | 13129 | (resource address memory) near3 (request demand) with (peripheral device) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/05 12:00 |
| S2  | 439   | S1 same pci   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/05 12:00 |

## EAST Search History

|    |    |                                 |  |    |    |                  |
|----|----|---------------------------------|--|----|----|------------------|
| S3 | 41 | S2 same address adj space       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/05 12:32 |
| S4 | 33 | minimum near3 address adj space | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/05 12:02 |
| S5 | 1  | S2 and S4                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/05 12:01 |
| S6 | 14 | S4 same (peripheral device)     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/07/05 12:02 |